

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

**AMENDMENT**

**In the CLAIMS:**

The Examiner has rejected claims 1-8 and allowed claims 9-31.

The Applicant cancels Claims 1-8. The original claims 1-8 as filed will be included in a Continuation Application filed herewith.

By canceling claims 1-8, the Applicant does not make any comments on the rejected claims and does not intend to surrender any equivalents whatsoever under the Doctrine of Equivalents.

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

1. (Canceled) A network-independent location-aware protocol for communicating with location-aware wireless mobile devices, the network-independent location-aware protocol stored as data bits in a pre-determined format on a computer readable medium, comprising:

a location-aware management message for sending and receiving management messages to and from location-aware wireless mobile devices;

a location-aware event message for sending and receiving emergency or non-emergency event messages to and from location-aware wireless mobile devices; and

a location-aware commerce message for sending and receiving commerce messages to and from location-aware wireless mobile devices;

wherein the network-independent location-aware protocol messages can be simultaneously transmitted over a plurality of different types of wireless transport networks for a plurality of different types of location-aware mobile devices in a plurality of different locations in a specific geographic area.

2. (Canceled) The network-independent location-aware protocol of Claim 1 wherein the location-aware management message includes a plurality of management message tags to request a location of a location-aware wireless mobile device, send a location identifier to a location-aware wireless mobile device or send an acknowledgement to a location-aware wireless mobile device.

3. (Canceled) The network-independent location-aware protocol of Claim 1 wherein the location-aware event message includes a plurality of event message tags for emergency or

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

non-emergency event information generated for location-aware wireless mobile devices in a specific geographic area.

4. (Canceled) The network-independent location-aware protocol of Claim 1 wherein the location-aware commerce message includes a plurality of commerce message tags for commercial information including electronic-commerce or mobile-commerce for location-aware wireless mobile devices in a specific geographic area.

5. (Canceled) The network-independent location-aware protocol of Claim 1 wherein the network-independent location-aware protocol is also used for communicating with wired or non-mobile wireless devices.

6. (Canceled) A transport network location-aware interface for communicating with a plurality of different types of location-aware wireless mobile devices in a plurality of different locations in a specific geographic area, comprising:

a first transport interface component for receiving network-independent location-aware protocol messages from an information repository on a wireless transport network, wherein the network-independent location-aware protocol messages are used to communicate with a plurality of different types of location-aware wireless mobile devices in a plurality of different locations in a specific geographic area;

a second transport interface component for sending transport information from the wireless transport network via one or more wireless transport protocols in use on the wireless transport network to the plurality of different types of location-aware wireless mobile devices in a plurality of different locations in a specific geographic area, wherein the transport

Response to Office Action Mailed: May 25, 2004  
PATENT 09/809,336

information includes one or more network-independent location-aware protocol messages used to communicate with a plurality of different types of location-aware wireless mobile devices in a plurality of different locations in a specific geographic area.

7. (Canceled) The transport network mobile user network message interface of Claim 6 wherein the transport information includes a plurality of data-bits, data frames or data packets.

8. (Canceled) A mobile device location-aware interface for a location-aware wireless mobile device, comprising

a first location-aware interface component for receiving transport information on a location-aware wireless mobile device from a wireless transport network via one or more wireless transport protocols in use on the wireless transport network, wherein the transport information includes one or more network-independent location-aware protocol messages used to communicate with a plurality of different types of location-aware wireless mobile devices in a plurality of different locations in a specific geographic area;

a second location-aware interface component for generating device specific information on the location-aware wireless mobile device from the one or more network-independent location-aware protocol messages in the transport information.

9. (Original - Allowed) A method for providing network-independent location-aware protocol messages to location-aware mobile network devices, comprising:

accepting alert information from a plurality of information sources on an information repository, wherein the information repository is in communications with the plurality of information sources via an information network, wherein the alert information is generated

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

from emergency or non-emergency events, and wherein the alert information includes information emergency or non-emergency events for a specific geographic area;

formatting the accepted alert information into a network-independent location-aware protocol message, wherein the network-independent location-aware protocol message can be sent to a plurality of different types of location-aware mobile wireless network devices in communications with the plurality of different types of transport networks via a plurality of uniform mobile user network message interfaces associated with the plurality of different types of transport networks;

optionally adding additional information to the network-independent location-aware protocol message based on the specific geographic area identified in the alert information, wherein the additional information is dynamically generated from a plurality of databases associated with the information repository;

forwarding the network-independent location-aware protocol message to the plurality of different types of transport networks in communications with the plurality of different types of location-aware mobile network devices located in the specific geographic area identified by the alert information, wherein the plurality of different types of transport networks forward the network-independent location-aware message to the plurality of different types of location-aware mobile network devices located in the specific geographic area identified by the alert information via the plurality of uniform mobile user network message interfaces associated with the plurality of different types of transport networks.

10. (Original - Allowed) The method of Claim 9 further comprising a computer

6 of 17

LESAVICH HIGH-TECH  
LAW GROUP, P.C.  
SUITE 325  
39 SOUTH LA SALLE STREET  
CHICAGO, ILLINOIS 60603  
TELEPHONE (312) 332-3751

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

readable medium having stored therein instructions for causing a processor to execute the steps of the method.

11. (Original - Allowed) The method of Claim 9 wherein the plurality of different types of transport networks include one or two-way paging, cellular telephone, personal communication services ("PCS"), global system for mobile communications; ("GSM"), " ), Generic Packet Radio Services ("GPRS"), cellular digital packet data ("CDPD"), wireless application protocol ("WAP"), Bluetooth, 802.11b, or digital audio broadcasting ("DAB"), transport networks.

12. (Original - Allowed) The method of Claim 9 wherein the network-independent location-aware protocol message includes:

a location-aware management message for sending and receiving management messages to and from location-aware wireless mobile devices;

a location-aware event message for sending and receiving emergency or non-emergency event messages to and from location-aware wireless mobile devices; and

a location-aware commerce message for sending and receiving commerce messages to and from location-aware wireless mobile devices.

13. (Original - Allowed) The method of Claim 12 wherein the location-aware commerce message includes electronic-commerce and mobile-commerce messages.

14. (Original - Allowed) The method of Claim 12 wherein the location-aware event messages include weather, traffic or E911, event messages.

15. (Original - Allowed) The method of Claim 9 wherein the location-aware wireless

7 of 17

LESAVICH HIGH-TECH  
LAW GROUP, P.C.  
SUITE 325  
39 SOUTH LASALLE STREET  
CHICAGO, ILLINOIS 60603  
TELEPHONE (312) 332-3751

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

mobile devices include one or two way pagers, cellular phones, mobile phones, personal digital assistants, personal communication services ("PCS") devices, global system for mobile communications ("GSM") devices, ), Generic Packet Radio Services ("GPRS") devices, cellular digital Global Positioning System ("GPS") devices, Digital GPS ("DGPS") devices, Wireless Application Protocol ("WAP") devices, Bluetooth, 802.11b, or digital audio broadcasting ("DAB") devices.

16. (Original - Allowed) The method of Claim 9 wherein the optional additional information includes text, graphical maps, audio or video information.

17. (Original - Allowed) The method of Claim 9 wherein the network-independent location-aware protocol messages are also used to communicate with wired or non-mobile wireless devices.

18. (Original - Allowed) A method for locating and providing network-independent location-aware protocol messages to location-aware mobile network devices, comprising:

dynamically accepting location information from a plurality of different types of location-aware wireless mobile devices on an information repository when a location of a location-aware wireless mobile device changes, wherein information repository is in communications with the plurality of different types of location-aware wireless mobile devices via a plurality of different types of transport networks;

accepting alert information from a plurality of information sources on an information repository, wherein the information repository is in communications with the plurality of information sources via an information network, wherein the alert information is generated

8 of 17

LESAVICH HIGH-TECH  
LAW GROUP, P.C.  
SUITE 325  
39 SOUTH LA SALLE STREET  
CHICAGO, ILLINOIS 60603  
TELEPHONE (312) 332-3751

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

from emergency or non-emergency events, and wherein the alert information includes information emergency or non-emergency events for a specific geographic area;

formatting the accepted alert information into a network-independent location-aware protocol message, wherein the network-independent location-aware protocol message can be sent to a plurality of different types of location-aware mobile wireless network devices in communications with the plurality of different types of transport networks via a plurality of uniform mobile user network message interfaces associated with the plurality of different types of transport networks;

optionally adding additional information to the network-independent location-aware protocol message based on the specific geographic area identified in the alert information, wherein the additional information is dynamically generated from a plurality of databases associated with the information repository;

determining whether any location-aware mobile network devices are currently located within the specific geographic area identified by the alert information using the accepted location information, and if so,

forwarding the network-independent location-aware protocol message to the plurality of different types of transport networks in communications with the plurality of different types of location-aware mobile network devices located in the specific geographic area identified by the alert information, wherein the plurality of different types of transport networks forward the network-independent location-aware message to the plurality of different types of location-aware mobile network devices located in the specific geographic area identified by the alert



**Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336**

information via the plurality of uniform mobile user network message interfaces associated with the plurality of different types of transport networks.

19. (Original - Allowed) The method of Claim 18 further comprising a computer readable medium having stored therein instructions for causing a processor to execute the steps of the method.

20. (Original - Allowed) The method of Claim 18 further comprising:

determining whether any location-aware mobile network devices are currently located within the specific geographic area identified by the alert information using the accepted location information, and if not,

periodically checking the accepted location information to determine whether any location-aware mobile network devices are currently located within the specific geographic area identified by the alert information using the accepted location information, and if so,

forwarding the network-independent location-aware protocol message to a specific transport network in communications with location-aware mobile network devices now located in the specific geographic area identified by the alert information.

21. (Original - Allowed) The method of Claim 18 wherein the location information includes a longitude and latitude for a current geographic location.

22. (Original - Allowed) The method of Claim 18 wherein the plurality of different types of transport networks include one or two-way paging, cellular telephone, personal communication services ("PCS"), global system for mobile communications, ("GSM"), ), Generic Packet Radio Services ("GPRS"), cellular digital packet data ("CDPD"), wireless

10 of 17

LESAVICH HIGH-TECH  
LAW GROUP, P.C.  
SUITE 325  
39 SOUTH LASALLE STREET  
CHICAGO, ILLINOIS 60603  
TELEPHONE (312) 322-3751

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

application protocol ("WAP"), Bluetooth, 802.11b, or digital audio broadcasting ("DAB"), transport networks.

23. (Original - Allowed) The method of Claim 19 wherein the network-independent location-aware protocol message includes:

a location-aware management message for sending and receiving management messages to and from location-aware wireless mobile devices;

a location-aware event message for sending and receiving emergency or non-emergency event messages to and from location aware wireless mobile devices; and

a location-aware commerce message for sending and receiving commerce messages to and from location-aware wireless mobile devices.

24. (Original - Allowed) The method of Claim 23 wherein the location-aware commerce message includes electronic-commerce and mobile-commerce messages.

25. (Original - Allowed) The method of Claim 23 wherein the location-aware event messages include weather, traffic or E911, event messages.

26. (Original - Allowed) The method of Claim 23 wherein the location-aware wireless mobile devices include one or two way pagers, cellular phones, mobile phones, personal digital assistants, personal communication services ("PCS") devices, global system for mobile communications ("GSM") devices, ), Generic Packet Radio Services ("GPRS") devices, cellular digital Global Positioning System ("GPS") devices, Digital GPS ("DGPS") devices, Wireless Application Protocol ("WAP") devices Bluetooth, 802.11b, or digital audio broadcasting ("DAB") devices.

**Response to Office Action Mailed: May 25, 2004**  
**PATENT 09/909,336**

27. (Original - Allowed) The method of Claim 23 wherein the optional additional information includes text, graphical maps, graphics, audio or video information.

28. (Original - Allowed) The method of Claim 23 wherein the network-independent location-aware protocol messages are also to communicate with wired or non-mobile wireless devices.

29. (Original - Allowed) A location-aware network system comprising, in combination,

a network-independent location-aware protocol for communicating with location-aware wireless mobile devices stored as data bits in a pre-determined format on a computer readable medium, including:

a location-aware management message for sending and receiving management messages to and from location-aware wireless mobile devices,

a location-aware event message for sending and receiving emergency or non-emergency event messages to and from location-aware wireless mobile devices, and

a location-aware commerce message for sending and receiving commerce messages to and from location-aware wireless mobile devices,

wherein the network-independent location-aware protocol messages can be simultaneously transmitted over a plurality of different types of wireless transport networks for a plurality of different types of wireless location-aware wireless mobile devices in a plurality of different locations in a specific geographic area;

a transport network location-aware interface for communicating with a plurality of

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

different types of location-aware wireless mobile devices in a plurality of different locations in a specific geographic area, including:

a first transport interface component for receiving network-independent location-aware protocol messages from an information repository on a wireless transport network, wherein the network-independent location-aware protocol messages are used to communicate with a plurality of different types of location-aware wireless mobile devices in a plurality of different locations in a specific geographic area,

a second transport interface component for sending transport information from the wireless transport network via one or more wireless transport protocols in use on the wireless transport network to the plurality of different types of location-aware wireless mobile devices in a plurality of different locations in a specific geographic area, wherein the transport information includes network-independent location-aware protocol messages used to communicate with a plurality of different types of location-aware wireless mobile devices in a plurality of different locations in a specific geographic area;

a location-aware mobile device interface for a location-aware wireless mobile device, including:

a first location-aware interface component for receiving transport information on a location-aware wireless mobile device from a wireless transport network via one or more wireless transport protocols in use on the wireless transport network, wherein the transport information includes one or more network-independent location-aware protocol messages used to communicate with a plurality of different types of location-aware wireless mobile devices in

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

a plurality of different locations in a specific geographic area,

a second location-aware interface component for generating device specific information on the location-aware wireless mobile device from the one or more network-independent location-aware protocol messages in the transport information;

a location-aware network server for accepting alert information from a plurality of information sources on an information repository, wherein the information repository is in communications with the plurality of information sources via an information network, wherein the alert information is generated from emergency or non-emergency events, and wherein the alert information includes information emergency or non-emergency events for a specific geographic area, formatting the accepted alert information into a network-independent location-aware protocol message, wherein the network-independent location-aware protocol message can be sent to a plurality of different types of location-aware mobile wireless network devices in communications with the plurality of different types of transport networks via a plurality of uniform mobile user network message interfaces associated with the plurality of different types of transport networks, optionally adding additional information to the network-independent location-aware protocol message based on the specific geographic area identified in the alert information, wherein the additional information is dynamically generated from a plurality of databases associated with the information repository, and forwarding the network-independent location-aware protocol message to the plurality of different types of transport networks in communications with the plurality of different types of location-aware mobile network devices located in the specific geographic area identified by the alert information, wherein the plurality

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

of different types of transport networks forward the network-independent location-aware protocol message to the plurality of different types of location-aware mobile network devices located in the specific geographic area identified by the alert information via the plurality of uniform mobile user network message interfaces associated with the plurality of different types of transport networks; and

a plurality of location-aware wireless mobile devices for accepting network-independent location-aware protocol messages.

30. (Original – Allowed) The location-aware network system of Claim 29 wherein the location-aware network server further includes:

accepting dynamically location information from a plurality of different types of location-aware wireless mobile devices on an information repository when a location of a location-aware wireless mobile device changes, wherein information repository is in communications with the plurality of different types of location-aware wireless mobile devices via a plurality of different types of transport networks;

determining whether any location-aware mobile network devices are currently located within the specific geographic area identified by the alert information using the accepted location information, and if so,

forwarding the network-independent location-aware protocol message to the plurality of different types of transport networks in communications with the plurality of different types of location-aware mobile network devices located in the specific geographic area identified by the alert information.

15 of 17

LESAVICH HIGH-TECH  
LAW GROUP, P.C.  
SUITE 820  
39 SOUTH LASALLE STREET  
CHICAGO, ILLINOIS 60604  
TELEPHONE (312) 322-3751

Response to Office Action Mailed: May 25, 2004  
PATENT 09/909,336

31. (Original - Allowed) The location-aware network system of Claim 29 wherein the location-aware network server further includes:

determining whether any location-aware mobile network devices are currently located within the specific geographic area identified by the alert information using the accepted location information, and if not,

periodically checking the accepted location information to determine whether any location-aware mobile network devices are currently located within the specific geographic area identified by the alert information using the accepted location information, and if so,

forwarding the network-independent location-aware protocol message to a specific transport network in communications with location-aware mobile network devices now located in the specific geographic area identified by the alert information.